

Cumulative Index 1989

Volume 7

<i>January</i>	DERMATOLOGIC THERAPY II , pages 1-191
<i>April</i>	SYSTEMIC MYCOSES AND PARASITIC DISEASES , pages 193-401
<i>July</i>	SKIN SIGNS OF INTERNAL DISEASE , pages 403-607
<i>October</i>	MOHS MICROGRAPHIC SURGERY OF THE HEAD AND NECK: A MULTIDISCIPLINARY APPROACH , pages 609-859

Note: Page numbers of article titles are in **boldface** type.

- Abbe-Estlander flaps, after Mohs micrographic surgery,
for perioral cancer, 746
- Abscesses, alternative therapies for, 4
- Accutane, for acne, 64-65
- for burns, 4
- for warts, 58
- Acne, alternative therapies for, 71-72
- Henry M. Lewis' therapies for, 64-65
- scars from, alternative therapies for, 3-4
- Acne vulgaris, alternative therapies for, 56, 73
- Retin-A and Sundown for, 38
- Acquired immunodeficiency syndrome. *See AIDS.*
- Acrochordons, and colonic polyps, 430-431
- Acrodermatitis enteropathica, skin signs of, 566-567
- Acropachy, in thyroid disease, 552-553
- Actinic reticuloid, skin signs of, 474
- Actinomadura madurae*, in mycetoma, 212, 213, 214
- Actinomycosis, skin signs of, 584
- Adenocarcinoma, ceruminous, 783
- Adenoma sebaceum, Henry M. Lewis' therapies for, 65
- Adenomas, periauricular, 783
- Adenopathy, bilateral hilar, in sarcoidosis, 508
- Adhesive tape, for dermatologic conditions, 52
- Advancement flaps, after Mohs micrographic surgery, for
facial defects, 666
- for perioral cancer, 745
- Aethoxysklerol, for sclerotherapy, of lower-extremity
telangiectasias, 132-133
- Agar gel diffusion test, for histoplasmosis, 255
- AIDS, cutaneous cryptococcosis in, 270-271
- phototherapy for, 30
- skin and heart signs of, 526, **571-577**
- skin signs of, classification of HIV infection, 571
- dermatophyte infections, 574
- disseminated infections, 574
- epidemiology of HIV infection, 571, 573
- mucous membrane infections, 574
- neoplasms, 574
- viral infections, 574
- Allergic reactions, and human immunodeficiency virus
infections, 380
- sclerotherapy and, 145
- Allescheria boydii*, in mycetoma, 213
- Alopecia, in Cronkhite-Canada syndrome, 426
- male-pattern, azeleic acid for, 25
- minoxidil for, 40
- scarring, alternative therapies for, 60
- Alopecia areata, alternative therapies for, 11-12
- in thyroid disease, 554
- Alpha-acetoxymandelic acid, for dermatologic conditions,
20, 22
- Alternaria alternata*, skin infections due to, in immuno-
compromised host, 358
- Amebiasis, 301-303
- cutaneous. *See Cutaneous amebiasis.*
- epidemiology of, 301-302
- etiology of, 302
- pathophysiology of, 302-303
- Ammoniated mercury ointment, for dermatologic condi-
tions, 48
- Amphotericin B, for blastomycosis, 247
- for chromoblastomycosis, 224
- for coccidioidomycosis, 236-237
- for cutaneous cryptococcosis, 272
- for fungal infections, and human immunodeficiency
virus infections, 372, 373-374
- for histoplasmosis, 256
- for mycetoma, 216
- for sporotrichosis, 200-201
- for systemic candidiasis, 265
- for systemic mycoses, 387-388
- Amyloidosis, skin and heart signs of, 452-453, 487-488,
520-521
- Ancylostoma duodenale*. *See Hookworm.*
- Anemia, iron deficiency, hypochromic microcytic, in
hookworm disease, 277-278
- Angioedema, skin signs of, 455-456
- Angioendotheliomatosis, malignant, skin signs of, 473
- Angiography, digital subtraction, of periauricular skin
cancer, 784

- ANOTHER syndrome, skin signs of, 555
 Anthralin, for dermatologic conditions, 38
 Antibiotics, and systemic candidiasis, 261
 topical, sensitivity to, surgical pearls for, 104
 Antifungal therapy, azelaic acid for, 25
 Antimonials, pentavalent, for leishmaniasis, 347, 348
 Antinea, for dermatologic conditions, 47
 Aphthae, alternative therapies for, 72
 Arteritis, giant cell, skin signs of, 486
 Arthralgias, in sarcoidosis, 510
 Arthritis, in blastomycosis, 244-245
 in sarcoidosis, 510
 in sporotrichosis, 196
 rheumatoid, skin and heart signs of, 523
 Arthropods, skin lesions caused by, alternative therapies for, 59
 Ascorbic acid, deficiency of, skin signs of, 565
 Aspergillus species, skin infections due to, in immunocompromised host, 359, 363
 Autoerythrocyte sensitization syndrome, skin signs of, 488
 Azelaic acid, for dermatologic conditions, 23-25
- Baby shampoo, for dermatologic conditions, 52
 Bacterial infections, skin signs of, 579-589
 actinomycosis, 584
 acute rheumatic fever, 523-524, 581
 cat-scratch disease, 587-588
 erysipeloid, 584
 gonococcemia, 586
 meningococcemia, 585-586
 nocardiosis, 584
 plague, 587
 Pseudomonas septicemia, 586-587
 purpura fulminans, 583-584
 scarlet fever, 581
 staphylococcal scalded skin syndrome, 579-580
 staphylococcal toxin syndrome, 579
 subacute bacterial endocarditis, 581, 583
 toxic shock syndrome, 580-581
 Vibrio vulnificus infection, 588
 Baker's P & S liquid, for dermatologic conditions, 49-50
 Balneol, for dermatologic conditions, 52
 Bandages, for external ear surgery, 106
 Basal cell carcinoma, alternative therapies for, 59
 histology of, 629, 631-632
 of forehead. See *Forehead*.
 of scalp. See *Scalp*.
 periauricular, 783
 perinasal. See *Perinasal skin cancer*.
 perioral, 737
 Bath oils, for dermatologic conditions, 44-45
 Baths, medicated, for dermatologic conditions, 43-45
 Behçet's disease, skin and heart signs of, 524
 Benign monoclonal gammopathy, skin signs of, 449
 Benzimidazole, for Chagas' disease, 310
 Benzoyl peroxide, for dermatologic conditions, 41
 for skin ulcers, 6-7
 Beta streptococci, culturing of, alternatives to, 5
 Bilateral advancement flaps, after Mohs micrographic surgery, for forehead defects, 706
 Bilobed flaps, after Mohs micrographic surgery, for facial defects, 673
 Biopsies, surgical pearls for, 89-91
 chalazion clamp for oral lesions, 90-91
 finding biopsied site, 89
 orienting surgical specimens, 90
 Biotin, deficiency of, skin signs of, 564
 Bites, insect, alternative therapies for, 72
 "Black cat," for dermatologic conditions, 42
 Black patients, vitiligo in, Henry M. Lewis' therapies for, 66
 Blastomyces dermatitidis, skin infections due to, in immunocompromised host, 360, 361-362
 Blastomycosis, 241-250
 clinical features of, 243-245
 course and prognosis of, 248
 diagnosis of, 245-246
 differential diagnosis of, 246
 distribution of, 242
 epidemiology of, 242-243
 etiology of, 241
 habitat of, 241-242
 pathology of, 245
 treatment of, 246-248
 Blood vessels, enlarged, dermabrasion and chemical peels and, 185
 Blue rubber bleb nevus syndrome, skin signs of, 405-406
 Bolster technique, of wound closure, in dermatologic surgery, 106, 109
 Brill-Zinsser disease, skin signs of, 597-598
 Broders classification, of oral cancer, 737, 816, 818
 Buccal fat pad, of cheek, 752
 Bullae, in diabetes mellitus, 540-541
 in thyroid disease, 554
 Bullous diseases, alternative therapies for, 72
 Bullous eruptions, of hands and feet, alternative therapies for, 9
 Burns, isotretinoin for, 4
 Burow's solution, for dermatologic conditions, 45
- Calamine lotion, for dermatologic conditions, 46
 Calluses, and corns, of feet, toes, and ears, alternative therapies for, 57
 interdigital, alternative therapies for, 9-10
 Campbell de Morgan spots, treatment of, infrared coagulator in, 163
 Cancer. See also *Carcinoma*; *Tumors*.
 nonmelanoma, perinasal. See *Perinasal skin cancer*.
 of cheek. See *Cheek*.
 of oral cavity. See *Oral cavity*.
 of skin. See *Skin cancer*.
 perioral. See *Perioral cancer*.
 Candida albicans, and human immunodeficiency virus infections, 372
 skin infections due to, in immunocompromised host, 358, 360, 362
 Candidiasis, systemic. See *Systemic candidiasis*.
 Cantharidin, for warts, 17
 Canthi, skin cancer of, Mohs micrographic surgery for, 686-694
 Capnocytophaga organisms, and oral ulcers, alternative therapies for, 14
 Carcinoid syndrome, skin and heart signs of, 520
 Carcinoma. See also *Cancer*; *Tumors*.
 basal cell. See *Basal cell carcinoma*.
 squamous cell. See *Squamous cell carcinoma*.
 superficial multicentric basal cell, Henry M. Lewis' therapies for, 66
 Carmol 10, for dermatologic conditions, 41-42
 Carotid artery, involvement of, in skin cancer of neck, 775-777
 Castellani's paint, for dermatologic conditions, 41, 50, 67
 Cat-scratch disease, skin signs of, 587-588
 Catheters, Hickman, skin infections due to, in immunocompromised host, 359

- indwelling intravenous, and systemic candidiasis, 261
- Cellular immune deficiency, and host defenses, 355
- Cellulitis, pseudomonal, skin signs of, 587
- Central nervous system, in systemic candidiasis, 263
- Cephalosporium corda*, in mycetoma, 214
- Cercarial dermatitis, 297-299
- cutaneous manifestations of, 298
 - historical aspects of, 297-298
 - life cycle of, 298
 - pathology of, 299
 - prevention and control of, 299
 - treatment of, 299
- Cervical rotation flaps, after Mohs micrographic surgery, for cheek cancer, 757-758
- Chagas' disease, 307-310
- clinical features of, 308-309
 - diagnosis of, 309-310
 - epidemiology of, 307
 - etiology of, 308
 - immunology and pathophysiology of, 309
 - treatment of, 310, 393-394
- Chalazion clamp, in biopsy of oral lesions, 90-91
- Charcoal, activated, for dermatologic conditions, 22-23
- Cheek, cancer of, Mohs micrographic surgery for, 751-762
- clinical evaluation in, 752-754
 - compromise of outcome in, 755
 - embryology and anatomy in, 751-752
 - follow-up and re-examination in, 761
 - modes of tumor spread in, 754-755
 - reconstruction after, 756-761
 - revision surgery in, 758, 760-761
 - skin flaps in, 757-758
 - healing by secondary intention in, 655-656
- Chemical peels, informed consent for, 183-185
- Chemotherapy, for leishmaniasis, 348-349
- for periauricular skin cancer, 785
- Chin, healing by secondary intention in, 655-656
- Chloramphenicol, for Rocky Mountain spotted fever, 596
- Chondrodermatitis nodularis helices, Henry M. Lewis' therapies for, 65
- Chromoblastomycosis, 219-226
- clinical features of, 220
 - differential diagnosis of, 220-221
 - epidemiology of, 219-220
 - historical aspects of, 219
 - laboratory diagnosis of, 221-223
 - treatment of, 223-225
- Cirrhosis, hyperpigmentation in, 438-439
- Coagulator, infrared. See *Infrared coagulator*.
- Cobalamin, deficiency of, skin signs of, 563
- Coccidioidomycosis, 227-239
- and human immunodeficiency virus infections, 374
 - cutaneous manifestations of, 229, 232
 - epidemiology of, 227-229
 - serodiagnosis of, 234-236
 - skin infections due to, in immunocompromised host, 362
 - skin testing for, 232-234
 - treatment of, 236-238
- Cold sores, dermabrasion and chemical peels and, 185
- Cold urticaria, skin signs of, 454
- Colitis, skin signs of, 415
- Colloid baths, for dermatologic conditions, 44
- Colon, polyps of, acrochordons and, 430-431
- Columella, reconstruction of, after Mohs micrographic surgery, 725
- Comedones, and milia, periorbital, Henry M. Lewis' therapies for, 67
- Computed tomography, of cancerous lymph nodes, in neck, 774
- of cheek cancer, 754
 - of oral cancer, 819
 - of periauricular skin cancer, 784
- Connective tissue diseases, and thyroid disease, 555
- and vasculitis, 485
 - mixed, skin and heart signs of, 523
 - skin signs of, 406-407
- Copper, deficiency of, skin signs of, 567
- Corticosteroids, and systemic candidiasis, 261
- for sarcoidosis, 512
- Corynebacteria, infections caused by, of hands and feet, alpha-acetoxymandelic acid for, 20, 22
- Cosmetics, cover-up, after Mohs micrographic surgery, for cheek cancer, 760
- Cowden's disease, skin signs of, 409-411, 428, 555
- Creams, for dermatologic conditions, 46-47
- Crohn's disease, skin signs of, 415
- Cronkhite-Canada syndrome, skin signs of, 411, 425-428
- Crow-Fukase syndrome, skin signs of, 462-463
- Crude coal tar ointment, for dermatologic conditions, 41
- Cryoglobulinemia, mixed, skin signs of, 485
- skin signs of, 454-455
- Cryosurgery, for chromoblastomycosis, 224
- for leishmaniasis, 348
 - for periauricular skin cancer, 785
- Cryptococcosis, and human immunodeficiency virus infections, 373
- cutaneous. See *Cutaneous cryptococcosis*.
- Cryptococcus neoformans*, skin infections due to, in immunocompromised host, 360, 363
- Cutaneous amebiasis, 303-306
- diagnosis of, 305
 - differential diagnosis of, 304-305
 - pathology of, 304
 - treatment of, 305-306, 393
- Cutaneous cryptococcosis, 269-274
- clinical features of, 270-271
 - diagnosis of, 272
 - etiology and epidemiology of, 269-270
 - histopathology of, 271-272
 - mycology of, 269
 - treatment of, 272-273
- Cutaneous larva migrans, 284-286
- clinical features of, 285
 - diagnosis of, 285
 - epidemiology of, 284-285
 - life cycle of, 284-285
 - treatment of, 285-286, 390
- Cutis laxa, skin and heart signs of, 519
- Cylindromas, multiple, of scalp, alternative therapies for, 11
- Cysts, epidermal, in familial adenomatous polyposis, 420, 422
- surgical treatment of, 91
 - inflamed, surgical treatment of, 91-93
 - mucoid, of fingers and toes, sclerosant injections for, 179-181
 - pilar, and headaches, alternative therapies for, 5
- Degos' disease, skin signs of, 412-413
- Dehydroemetine, for amebiasis, 393
- Deladumone, for dermatologic conditions, 22
- Demodex, pubic, alternative therapies for, 4-5
- Depigmentation, in hookworm disease, 278
- Dermabrasion, informed consent for, 183-185
- of recent scars, surgical pearls for, 100

- Dermal gloves, for dermatologic conditions, 52
- Dermatitis, atopic, alternative therapies for, 54
- in thyroid disease, 553-554
 - phototherapy for, 30
- cerarial. See *Cercarial dermatitis*.
- circulatory or stasis, alternative therapies for, 54
- contact, alternative therapies for, 53
- exfoliative, alternative therapies for, 54
- marine, 299
- perianal, alternative therapies for, 12
- perioral, Henry M. Lewis' therapies for, 65-66
- peristomy, alternative therapies for, 12
- seborrheic, alternative therapies for, 56
- and human immunodeficiency virus infections, 379
- Dermatitis medicamentosa, alternative therapies for, 54
- Dermatologic therapies, alternative, 1-18, 53-61, 71-72, 73-74
- development of, 2-3
 - of Henry M. Lewis, 63-69
 - topical, 37-42
 - alternative, 43-52
 - unusual, 19-35
- Dermatomyositis, alternative therapies for, 11
- skin and heart signs of, 523
- Dermatophytosis, in diabetes mellitus, 534
- Dermatoses, and human immunodeficiency virus infections, 379-380
- inflammatory, dexamethasone for, 28-29
 - skin signs of, acute febrile neutrophilic, 475
 - subcorneal pustular, 461-462
- Dermopathy, in diabetes mellitus, 538-539
- Dexamethasone, for inflammatory dermatoses, 28-29
- Diabetes mellitus, biochemistry of, 531-532
- skin signs of, 521, 531-546
 - bullae, 540-541
 - candidal infections, 532-533
 - dermatophytosis, 534
 - diabetic foot, 544
 - macroangiopathy, 537
 - malignant external otitis, 533-534
 - microangiopathy, 537-540
 - dermopathy, 538-539
 - erysipelas-like erythema, 540
 - periungual telangiectasia, 539-540
 - pigmented purpura, 539
 - rubeosis faciei, 539
 - neurobiosis lipidica diabetorum, 541-542
 - neuropathies, 542-544
 - phycomycetes infections, 533
 - thick skin, 534-537
 - yellow nails, 540
 - yellow skin, 537
- Diethylcarbamazine, for filariases, 316, 394
- for loiasis, 317
 - for onchocerciasis, 319, 328
- Digital subtraction angiography, of periauricular skin cancer, 784
- Diloxanide furoate, for amebiasis, 393
- Dinitrochlorobenzene, for warts, 14-17, 68
- Dipetalonema species, filariases due to, 320
- Dirofilaria, management of, 319-320
- Discoid lupus erythematosus, alternative therapies for, 58
- metronidazole gel for, 32
- Disseminated intravascular coagulation, skin signs of, 456-457
- Dog-ear wounds, surgical pearls for, 109, 123-124
- excision techniques, 123-124
 - planning incision, 123
 - undermining techniques, 124
- "Dogger Bank itch," 299
- Doxycycline, for epidemic typhus, 597
- Dracunculosis, management of, 329-330
- Drains, in dermatologic surgery, 96-98
- Dressings, scarlet red, and open wound granulation, 32
- wet, for dermatologic conditions, 45
 - wound, after Mohs micrographic surgery, 657-658
- Dufourmental flaps, after Mohs micrographic surgery, for facial defects, 666
- Dyscrasias, plasma cell, skin signs of, 487-488
- Dyspareunia, Henry M. Lewis' therapies for, 66
- Dysplasia, hypohidrotic ectodermal, skin signs of, 555
- Dysproteinemias, skin signs of, 449-466
- abnormal bleeding, 456-457
 - amyloidosis, 452-453, 487-488, 520-521
 - angioedema, 455-456
 - benign monoclonal gammopathy, 449
 - Crow-Fukase syndrome, 462-463
 - cryoglobulinemia, 454-455
 - erythema elevatum diutinum, 458
 - hyperviscosity syndrome, 453-454
 - lichen myxedematosus and scleromyxedema, 458, 460-461
 - multiple myeloma, 451
 - pyoderma gangrenosum, 461, 475-476
 - scleredema, 461
 - storage granules of macroglobulinemia, 451
 - subcorneal pustular dermatosis, 461-462
 - Waldenström's macroglobulinemia, 449-450
 - xanthomas, 457, 498, 521-522
- Dystrophies, vulvar, deladumone for, 22
- Earlobe creases, in coronary artery disease, 527
- Earlobes, defects of, pull through flaps to repair, 111-115
- Ears, healing by secondary intention in, 655
- piercing of, Henry M. Lewis' therapies for, 66
 - skin cancer of. See *Periauricular skin cancer*.
 - surgery on, bandages for, 106
 - surgical pearls for, 85-86
- Echinococcosis, skin and heart signs of, 525
- Ecthyma gangrenosum, skin signs of, 586-587
- Eczema, in children, Henry M. Lewis' therapies for, 68
- of hands, alternative therapies for, 73
- Edema, pulmonary, in Rocky Mountain spotted fever, 593
- Ehlers-Danlos syndrome, skin and heart signs of, 407, 518
- Ehrlichiosis, skin signs of, 599
- Electrocautery, sterile sleeves for, 93, 96
- Electrodesiccation and curettage, for periauricular skin cancer, 785
- Electron microscopy, to diagnose leishmaniasis, 346-347
- Electrosurgery, for lower-extremity telangiectasias, 130
- Emboli, skin signs of, 487
- Emetine, for amebiasis, 393
- Endocarditis, subacute bacterial, skin signs of, 581, 583
- Entamoeba histolytica*. See *Amebiasis*.
- Enterobiasis, 279-281
- clinical features of, 280
 - diagnosis of, 280
 - epidemiology of, 279
 - life cycle of, 279-280
 - treatment of, 280-281
- Enzyme immunoassays, to diagnose blastomycosis, 246
- Enzyme-linked immunosorbent assays, to diagnose coccidioidomycosis, 235
- Eosinophilia, topical pulmonary, filariases and, 316
- Eosinophilic granuloma, skin signs of, 493
- Epitheliomas, and human immunodeficiency virus infections, 378-379

- Epstein-Barr virus, and human immunodeficiency virus infections, 375
- Erysipeloid, skin signs of, 584
- Erythema, erysipelas-like, in diabetes mellitus, 540
- in coccidioidomycosis, 229, 232
- palmar, in liver diseases, 439-440
- Erythema annulare centrifugum, skin signs of, 447
- Erythema elevatum diutinum, skin signs of, 458
- Erythema multiforme, alternative therapies for, 13, 53
- Erythema nodosum, alternative therapies for, 53
- Erythroderma, skin and heart signs of, 527
- Essential fatty acids, deficiency of, skin signs of, 560
- Estrogen, for hereditary hemorrhagic telangiectasia, 404
- Exanthema, papular, and human immunodeficiency virus infections, 380
- Excoriations, neurotic, pimezide for, 6
- Exophthalmos, in thyroid disease, 552
- Extremities, lower, telangiectasias of, sclerotherapy for. *See Sclerotherapy.*
- Eye socket skin graft, necrosis of, enucleation and, alternative therapies for, 6
- Eyelids, healing by secondary intention in, 647, 651-653
- skin cancer of. *See Periorbital skin cancer.*
- Eyes, changes in, in onchocerciasis, 325-326
- in systemic candidiasis, 262
- in thyroid disease, 552
- diseases of, onchocerciasis and, 318-319
- Eyeshields, scleral, for safe eyelid surgery, 100, 102
- Fabry's disease, skin and heart signs of, 519-520
- Facial defects, Mohs micrographic surgery for, 661-676
- skin grafts in, 661
- wound closure in, 662-676
- fusiform repair, 663, 665
- local skin flaps, 665-666, 673, 676
- Feet, dermatologic conditions of, Henry M. Lewis' therapies for, 67
- Fever blisters, dermabrasion and chemical peels and, 185
- Filariaes, 313-321
- clinical features of, 314-316
- diagnosis of, 316
- dirofilaria, 319-320
- eradication of, 317
- life cycle of larvae in, 313
- loiasis, 317
- Onchocerca volvulus*, 318-319
- periodicity of, 314
- treatment of, 316-317, 394
- tropical pulmonary eosinophilia in, 316
- Fingernails, fragile and brittle, alternative therapies for, 60-61
- Fingers, mucoid cysts of, sclerosant injections for, 179-181
- Fissures, Henry M. Lewis' therapies for, 67
- Fluconazole, for systemic mycoses, 390
- Flucytosine, for chromoblastomycosis, 224-225
- for cutaneous cryptococcosis, 272
- for fungal infections, and human immunodeficiency virus infections, 372, 373
- for systemic candidiasis, 265
- for systemic mycoses, 388
- 5-Fluorouracil, for periauricular skin cancer, 785
- Folic acid, deficiency of, skin signs of, 564-565
- Forehead, healing by secondary intention in, 655
- skin cancer of, Mohs micrographic surgery for, 699-710
- anatomy in, 699-700
- case reports of, 704-705
- indications for, 701-704
- repair of defects after, 705-709
- tumor biology in, 700-701
- Formication, pimezide for, 6
- Fox-Fordyce disease, alternative therapies for, 8
- Freckles, alternative therapies for, 60
- Free flaps, after Mohs micrographic surgery, 828-829, 831
- for forehead defects, 709
- Fusarium species, skin infections due to, in immunocompromised host, 358
- Gardner's syndrome, skin signs of, 408-409, 419-422
- Gardner-Diamond syndrome, skin signs of, 488
- Gay bowel syndrome. *See Amebiasis.*
- Gels, for dermatologic conditions, 49
- Genitalia, ulcerations of, cutaneous cryptococcosis and, 270
- Gentian violet, for dermatologic conditions, 49
- Glutaraldehyde, for dermatologic conditions, 41
- Conococcemia, skin signs of, 586
- Granulocyte transfusions, for systemic candidiasis, 266
- Granulocytopenia, and host defenses, 354-355
- Granuloma, eosinophilic, skin signs of, 493
- Granuloma annulare, generalized, alternative therapies for, 7-8
- Granulomatosis, skin signs of, lymphomatoid, 474-475, 486
- Wegener's, 486
- Greenberger system, for scoring histiocytoses, 495
- Hair, changes in, in thyroid disease, 552
- Hairy tongue, alternative therapies for, 14
- Hand-Schüller-Christian disease, skin signs of, 492-493
- Hands, dry, Henry M. Lewis' therapies for, 66
- eczema of, alternative therapies for, 73
- Headaches, lipomas or pilar cysts and, alternative therapies for, 5
- Heart, disorders affecting, skin signs of, 517-529
- acute rheumatic fever, 523-524, 581
- AIDS. *See AIDS.*
- amyloidosis, 452-453, 487-488, 520-521
- Behçet's disease, 524
- carcinoid syndrome, 520
- cutaneous lentiginosis with atrial myxomas, 526-527
- cutis laxa, 519
- dermatomyositis, 523
- diabetes mellitus. *See Diabetes mellitus.*
- earlobe creases, 527
- Ehlers-Danlos syndrome, 518
- erythroderma, 527
- Fabry's disease, 519-520
- hemochromatosis, 520, 567
- hyperlipidemias, 521-522
- hyperthyroidism, 521, 547
- hypothyroidism, 521, 548
- infectious diseases, 524-526
- Kawasaki's disease, 527
- Marfan's syndrome, 518
- mixed connective tissue disease, 406-407, 485, 523, 555
- multicentric reticulohistiocytosis, 500, 527
- multiple lentiginos syndrome, 518-519
- neonatal lupus erythematosus, 523
- neurofibromatosis, 429, 517

Heart (Continued)

- disorders affecting, skin signs of, panarteritis nodosa, 523
 - premature aging syndromes, 522
 - pseudoxanthoma elasticum, 517-518
 - Reiter's syndrome, 523
 - rheumatoid arthritis, 523
 - sarcoidosis. See *Sarcoidosis*.
 - scleroderma, 523
 - systemic lupus erythematosus, 522-523
 - total lipodystrophy, 521
 - tuberous sclerosis, 519
- Heat therapy, for chromoblastomycosis, 224
 - for sporotrichosis, 200
- Heerfordt's syndrome, in sarcoidosis, 510
- Helistat collagen sponges, for granulating wounds, in dermatologic surgery, 98, 100
- Helminthic infections, intestinal, cutaneous manifestations of, cutaneous larva migrans. See *Cutaneous larva migrans*.
 - enterobiasis. See *Enterobiasis*.
 - hookworm. See *Hookworm*.
 - strongyloidiasis. See *Strongyloidiasis*.
 - trichinosis. See *Trichinosis*.
- Hemangiomas, childhood cavernous, alternative therapies for, 8-9
 - strawberry, treatment of, infrared coagulator in, 166
- Hematologic malignancies, skin signs of, 467-479
 - cutaneous T-cell lymphoma, 468-469
 - histiocytoses, 473-474
 - nonspecific lesions, 475-476
 - non-T-cell leukemias and lymphomas, 471-473
 - plasmacytomas, 473
 - T-cell malignancies, 469-471
- Heme biosynthesis, regulation of, in liver diseases, 442-443
- Hemochromatosis, hyperpigmentation in, 438-439
 - idiopathic, skin signs of, 567
 - skin and heart signs of, 520
- Hemorrhage, gastrointestinal, skin signs of, 403-418
 - blue rubber bleb nevus syndrome, 405-406
 - Ehlers-Danlos syndrome, 407
 - hereditary hemorrhagic telangiectasia, 403-405
 - inflammatory bowel disease, 414-415
 - Kaposi's sarcoma, 413-414
 - malignant atrophic papulosis, 412-413
 - polyposis syndromes. See *Polyposis syndromes*.
 - pseudoxanthoma elasticum, 406-407
 - scurvy, 413
 - vasculitis, 411-413
- Hemostasis, Henry M. Lewis' therapies for, 68
 - surgical assistant's help in, 77
- Henoch-Schönlein purpura, skin signs of, 412, 484
- Hepatitis, drug-induced, silymarin for, 27-28
 - skin signs of, 444-446
- Herpes simplex, alternative therapies for, 57
 - and human immunodeficiency virus infections, 374-375
 - dermabrasion and chemical peels and, 185
 - recurrent vaginal, alternative therapies for, 9
- Herpes zoster, alternative therapies for, 57
 - and human immunodeficiency virus infections, 375
 - Henry M. Lewis' therapies for, 66
- Hibiclens soap, in dermatologic surgery, 105
- Histiocytoma, skin signs of, generalized eruptive, 498
 - progressive nodular, 499-500
- Histiocytoses, skin signs of, 491-503, 473-474
 - Langerhans cell. See *Langerhans cell histiocytoses*.
 - non-Langerhans cell. See *Non-Langerhans cell histiocytoses*.
- Histoplasma capsulatum*, skin infections due to, in immunocompromised host, 360, 361
- Histoplasmin complement fixation test, for histoplasmosis, 255
- Histoplasmin skin test, for histoplasmosis, 255
- Histoplasmosis, 251-258
 - and human immunodeficiency virus infections, 373-374
 - clinical features of, 252-253
 - course and prognosis of, 256-257
 - diagnosis of, 255-256
 - differential diagnosis of, 256
 - epidemiology of, 252
 - etiology and pathogenesis of, 251-252
 - pathology of, 253-255
 - treatment of, 256
- Hodgkin's disease, skin signs of, 472-473
- Hookworm, 275-279
 - clinical features of, 276-278
 - diagnosis of, 278
 - epidemiology of, 275-276
 - life cycle of, 276
 - treatment of, 278-279, 390
- Human immunodeficiency virus, and allergic reactions, 380
 - and dermatoses, 379-380
 - and papular exanthema, 380
 - and porphyria cutanea tarda, 380
 - and psoriasis, 379
 - and seborrheic dermatitis, 379
 - and skin neoplasia, 378-379
 - infections due to, 369-385
 - bacterial, 370-371
 - fungal, 372-374
 - mycobacterial, 371-372
 - protozoal, 376
 - scabies, 376
 - vascular, 376-377
 - viral, 374-376
- Humoral immune dysfunction, and host defenses, 355
- Hutchinson-Gilford disease, skin and heart signs of, 522
- Hydroquinone, and azelaic acid, for dermatologic conditions, 25
- 2-Hydroxystilbamidine, for blastomycosis, 248
- Hydroxyzine HCl, for erythema multiforme, 13
- Hyperalgesic pseudothrombophlebitis syndrome, and human immunodeficiency virus infections, 377
- Hypercalcemia, in sarcoidosis, 511
- Hypercalciuria, in sarcoidosis, 511
- Hyperhidrosis, generalized, alternative therapies for, 5-6
 - Henry M. Lewis' therapies for, 67
- Hyperinfection syndrome, in strongyloidiasis, 282-283
- Hyperkeratosis follicularis et parafollicularis in cutem penetrens, skin signs of, 447
- Hyperlipidemias, skin and heart signs of, 521-522
- Hyperpigmentation, dermabrasion and chemical peels and, 184-185
 - in liver diseases, 438-439
 - sclerotherapy and, 145
- Hyperplasia, cutaneous lymphoid, skin signs of, 474
- Hypersensitivity reactions, in histoplasmosis, 253
- Hyperthyroidism, skin and heart signs of, 521, 547
- Hypertonic saline, for dermatologic conditions, 19-20
 - for sclerotherapy, of lower-extremity telangiectasias, 132
- Hyperviscosity syndrome, skin signs of, 453-454
- Hypoalbuminemia, in hookworm disease, 278
- Hypopigmentation, dermabrasion and chemical peels and, 185
- Hypothyroidism, skin and heart signs of, 521, 548

- Ichthyosis, alternative therapies for, 73
- IgE levels, in coccidioidomycosis, 235-236
- Immunocompromised host, 353-367
- basic host defenses in, 353-354
 - defects in host defenses in, 354-355
 - definition of, 353
 - dermatologic manifestations of infections in, 355-363
 - diagnosis and treatment of, 363-364
- Infections, bacterial. *See Bacterial infections.*
- corynebacterial, of hands and feet, alpha-acetoxymandelic acid for, 20, 22
- due to human immunodeficiency virus. *See Human immunodeficiency virus.*
- fungal, alternative therapies for, 58, 73
- helminthic. *See Helminthic infections.*
- in diabetes mellitus, 532-533
 - pulmonary, systemic candidiasis and, 263
 - skin, in immunocompromised host, 355-363
 - superficial bacterial, alternative therapies for, 58
- Infectious diseases, skin and heart signs of, 524-526
- Inflammatory bowel disease, skin signs of, 414-415
- Informed consent, for chemical peels and dermabrasion, 183-185
- Intraorbital nerve, of cheek, 752
- Infrared coagulator, 155-167
- components of, 155
 - for port wine stains, 162-163
 - for tattoo removal, 160-162
 - for telangiectatic lesions, 163
 - for venous lakes, 163, 166
 - precise dermal damage from, preliminary experimentation on, 157-158, 160
 - principles of operation, 155-156
 - research applications of, 166
 - vs. infrared laser, 156
- Insect bites, alternative therapies for, 72
- Iodoquinol, for cutaneous amebiasis, 305, 393
- Iron, deficiency and excess of, skin signs of, 567
- oral supplementation of, for hereditary hemorrhagic telangiectasia, 404
- Island advancement flaps, after Mohs micrographic surgery, for facial defects, 673
- Isotretinoin, for acne, 64-65
- for burns, 4
 - for warts, 58
- Itraconazole, for chromoblastomycosis, 225
- for coccidioidomycosis, 237-238
 - for sporotrichosis, 200-201
 - for systemic mycoses, 389-390
- Ivermectin, for onchocerciasis, 319, 394
- Jaundice, in liver diseases, 435-438
- Kaposi's sarcoma, alternative therapies for, 60
- and human immunodeficiency virus infections, 377, 378
 - skin and heart signs of, 413-414, 526, 575
- Karapandzic flaps, after Mohs micrographic surgery, for perioral cancer, 747-748
- Katayama fever, schistosomiasis and, 294, 295
- Kawasaki's disease, skin and heart signs of, 527
- Keloids, and hypertrophic scars, alternative therapies for, 60
- dermabrasion and chemical peels and, 185
- Kenalog, intralesional, alternatives to, 5
- for lichen sclerosis et atrophicus, 8
 - for Melkersson-Rosenthal syndrome, 10
 - for supernumerary nipples, 10
- Keralyt gel, for interdigital calluses and omega nail deformities, 9-10
- Keratosis, actinic, azelaic acid for, 24-25
- Henry M. Lewis' therapies for, 66
 - actinic or solar, alternative therapies for, 59
 - seborrheic, alternative therapies for, 59
- Keratosis pilaris, Henry M. Lewis' therapies for, 68
- severe, alternative therapies for, 13-14
- Ketoconazole, for blastomycosis, 247-248
- for chromoblastomycosis, 225
 - for coccidioidomycosis, 237
 - for fungal infections, and human immunodeficiency virus infections, 372
 - for histoplasmosis, 256
 - for leishmaniasis, 347-348
 - for mycetoma, 216
 - for systemic candidiasis, 265-266
 - for systemic mycoses, 388-389
 - oral, for recurrent vaginal herpes simplex, 9
- Koilonychia, in iron deficiency, 567
- in liver diseases, 440
- Kveim-Siltzbach reaction, to sarcoidosis, 512
- Kwashiorkor, skin signs of, 559-560
- Kyrle's disease, skin signs of, 447
- Lahey system, for scoring histiocytoses, 494
- LAMB syndrome, skin and heart signs of, 526-527
- Lamb's wool, for dermatologic conditions, 52
- Langerhans cell histiocytoses, 491-496
- clinical features of, 492-493
 - diagnosis of, 493-494
 - etiologies of, 495
 - historical aspects of, 491-492
 - staging systems for, 494-495
 - treatment of, 495-496
- Larva currens, in strongyloidiasis, 282
- Larva migrans, cutaneous. *See Cutaneous larva migrans.*
- visceral, treatment of, 390, 392
- Larynx, lesions of, in blastomycosis, 244
- Laser therapy, for hereditary hemorrhagic telangiectasia, 405
- for lower-extremity telangiectasias, 130, 132
 - vs. infrared coagulator, 156
- Leiomyomata, multiple cutaneous, alternative therapies for, 12
- Leishmaniasis, 331-351
- animal reservoirs of, 333-334
 - diagnosis of, 345-347
 - disease patterns of, 336-345
 - acute cutaneous leishmaniasis, 336-337, 339
 - chronic cutaneous leishmaniasis, 339, 343
 - cryptic leishmaniasis, 336
 - diffuse cutaneous leishmaniasis, 343
 - leishmanid, 345
 - lymphatic leishmaniasis, 344
 - mucocutaneous leishmaniasis, 343-344
 - post-kala-azar dermal leishmaniasis, 344-345
 - visceral leishmaniasis, 344
 - epidemiology of, 331
 - heat treatment for, 10
 - historical aspects of, 331
 - parasite-host interaction in, 334-336
 - parasitology of, 331-332
 - prevention and control of, 349
 - treatment of, 347-349, 394, 395
 - vectors and transmission of, 332-333

- Lentiginosis, with atrial myxomas, skin and heart signs of, 526-527
- Lentigo maligna, azelaic acid for, 25
- LEOPARD syndrome, skin and heart signs of, 518-519
- Letterer-Siwe disease, skin signs of, 492
- Leukemia, liver infections in, in systemic candidiasis, 263
- skin signs of, chronic lymphocytic, 470
- chronic myelogenous, 471
- hairy cell, 471-472
- non-T-cell, 471
- Leukonychia, in liver diseases, 440
- Lewis, Henry M., dermatologic therapies of, 63-69
- Libman-Sacks verrucous vegetations, in systemic lupus erythematosus, 522
- Lichen myxedematosus and scleromyxedema, skin signs of, 458, 460-461
- Lichen planus, alternative therapies for, 10, 55
- metronidazole gel for, 32
- skin signs of, 446
- Lichen sclerosus et atrophicus, alternative therapies for, 8
- Henry M. Lewis' therapies for, 65
- Lichen simplex chronicus, alternative therapies for, 55
- "Black cat" for, 42
- Lipid abnormalities, in thyroid disease, 553
- Lipodystrophy, total, skin and heart signs of, 521
- Lipomas, and headaches, alternative therapies for, 5
- small, surgical treatment of, 93
- Lips, upper, vermilion border of, oral mucosal flaps to re-create, 115-117
- Liquid nitrogen, and cryosurgical neuropathy, avoidance of, 7
- for nonulcerated hemangiomas, 8-9
- for warts, 17
- Liquor carbonis detergens, for dermatologic conditions, 50-51
- Livedo reticularis, skin signs of, 454-455
- Liver, diseases of, skin signs of, 435-448
- alterations in color, 435
- alterations in cutaneous vasculature, 439-440
- alterations in hair growth, 441
- hyperpigmentation, 438-439
- infections, 444-446
- jaundice, 435-438
- metabolic enzyme deficiencies, 441-444
- nail changes, 440-441
- pruritus, 439
- Loiasis, management of, 317
- Lotions, shake, for dermatologic conditions, 45-46
- Lungs, infections of, systemic candidiasis and, 263
- Lupus erythematosus, skin and heart signs of, 522-523
- Lymph nodes, cancerous, in neck, 773-774
- Lymphadenopathy, angioimmunoblastic, skin signs of, 474
- in onchocerciasis, 325
- in sarcoidosis, 509
- massive, sinus histiocytosis with, 500-501
- Lymphatic drainage, in neck, 766-767
- in perioral area, 736-737
- Lymphocytoma cutis, skin signs of, 474
- Lymphomas, and human immunodeficiency virus infections, 378
- skin signs of, cutaneous T-cell, 468-469
- non-T-cell, 471
- peripheral T-cell, 470-471
- Macroangiopathy, in diabetes mellitus, 537
- Macroglobulinemia, storage papules of, 451
- Waldenström's, skin signs of, 449-450
- Madurella mycetomi, in mycetoma, 212-213, 214
- Magnetic resonance imaging, of cancerous lymph nodes, in neck, 774
- of cheek cancer, 754
- of periauricular skin cancer, 784
- Malassezia furfur, skin infections due to, in immunocompromised host, 358
- Malignancies, hematologic. *See Hematologic malignancies.*
- Mansonella ozzardi, filariases due to, 320
- Marfan's syndrome, skin and heart signs of, 518
- Marine dermatitis, 299
- Maxillectomy, for cheek cancer, 756
- Mazzoti test, to diagnose onchocerciasis, 319, 327-328
- Mebendazole, for enterobiasis, 280
- for hookworm disease, 279, 390
- for roundworm, 390
- for whipworm, 390
- MEDLINE literature searches, for dermatologic therapy, 1-3
- Melanoma, malignant, alternative therapies for, 60
- azelaic acid for, 25
- Mohs micrographic surgery for, 833-843
- controversies in, 839-840
- fixed-tissue technique in, 836-838
- fresh-tissue technique in, 838-839
- reliability of frozen sections in, 836
- treatment concepts in, 833-835
- Age of Dogma in, 834-835
- Age of Reason in, 835
- periauricular, 783
- Melanosis faciae, Henry M. Lewis' therapies for, 67
- Melarsoprol, for African trypanosomiasis, 307, 394
- Melasma, alternative therapies for, 60
- Melkersson-Rosenthal syndrome, alternative therapies for, 10
- Meningitis, in sporotrichosis, 196
- Meningococcemia, skin signs of, 585-586
- Mercuric chloride solution, for dermatologic conditions, 50
- Metabolic enzyme deficiencies, in liver diseases, 441-444
- Methenamine, for dermatologic conditions, 40-41
- Metrifonate, for schistosomiasis, 296
- Metronidazole, for cutaneous amebiasis, 305-306, 393
- Metronidazole gel, for lichen planus and discoid lupus erythematosus, 32
- Mexiletine, for dermatologic conditions, 20
- Miconazole, for coccidioidomycosis, 237
- for systemic mycoses, 388-389
- Microangiopathy, in diabetes mellitus. *See Diabetes mellitus.*
- Miliaria, alternative therapies for, 56-57
- Milk compresses, for dermatologic conditions, 45
- Minoxidil, for male-pattern alopecia, 40
- Mohs micrographic surgery, adjunctive therapy with, 635-637
- advantages and disadvantages of, 634-635
- fixed-tissue technique for, 624-625, 836-838
- for cancer of cheek. *See Cheek.*
- for facial defects. *See Facial defects.*
- for large cutaneous lesions, 825
- for melanoma. *See Melanoma.*
- for oral cavity cancer. *See Oral cavity.*
- for periauricular skin cancer. *See Periauricular skin cancer.*
- for perinasal nonmelanoma skin cancer. *See Perinasal skin cancer.*
- for perioral cancer. *See Perioral cancer.*
- for periorbital skin cancer. *See Periorbital skin cancer.*
- for skin cancer of forehead and temple. *See Forehead.*
- for skin cancer of neck. *See Neck.*
- for skin cancer of scalp. *See Scalp.*

- fresh-tissue technique for, 613-626, 838-839
 advantages of, 620-621, 624
 excision in, 613-614, 618-620
 preoperative preparation for, 613
 healing by secondary intention in, 645-660
 clinical consequences of, 648
 granulation tissue and wound contraction phase in, 646-647
 in cheeks and chin, 655-656
 in ear, 655
 in eyelids, 649, 651-653
 in forehead, 655
 in nose, 653-654
 in scalp, 656
 in trunk and extremities, 656-657
 inflammation in, 646
 matrix formation in, 647-648
 postoperative complications of, 658-659
 predicting results of, 648-649
 wound management in, 657-659
 historical aspects of, 609-611
 in operating room, 825-826
 indications for, 628-629, 631-632
 limitations of, 635-640
 multidisciplinary approach to, indications for, 632-634
 reconstruction after, 827-831
 prostheses in. See *Prostheses*.
 skin flaps in. See *Skin flaps*.
 skin grafts in. See *Skin grafts*.
 tissue expansion in. See *Tissue expansion*.
 tumors amenable to, 627-628
 with local and general anesthesia, 826-827
 Molluscum contagiosum, skin infections due to, in immunocompromised host, 358-359
 Monoclonal antibodies, with Mohs micrographic surgery, 639
 Montenegro test, to diagnose leishmaniasis, 346
 Mouth. See also *Oral cavity*.
 lesions of, alternative therapies for, 74
 chalazion clamp in biopsy of, 90-91
 ulcers of, Capnocytophaga organisms and, alternative therapies for, 14
 Mucoraceae species, skin infections due to, in immunocompromised host, 363
 Muir-Torre syndrome, skin signs of, 411, 428-429
 Multiple endocrine neoplasia type III syndrome, skin signs of, 555
 Multiple hamartoma syndrome, skin signs of, 409-411, 428, 555
 Multiple lentiginos syndrome, skin and heart signs of, 518-519
 Multiple myeloma, skin signs of, 450
 Myalgia, systemic candidiasis and, 262-263
 Mycetoma, 203-217
 clinical features of, 205-210
 definition of, 203
 diagnosis of, 215
 etiology of, 203
 experimental, 214-215
 geographic distribution of, 204-205
 historical aspects of, 203-204
 immunology of, 214
 microbial flora in, 210-211
 mycology of, 213-214
 osseous lesions in, 210
 pathology of, 211-213
 treatment of, 215-216
 Mycobacterium species, and human immunodeficiency virus infections, 372
 Mycoses, systemic. See *Systemic mycoses*.
 Mycosis fungoides, skin signs of, 468
 Myofibroblasts, in wound healing, 647
 Myxedema, in thyroid disease, 548-550
 Nails, changes in, in liver diseases, 440-441
 in thyroid disease, 552
 deformities of, alternative therapies for, 9-10
 dystrophies of, human immunodeficiency virus infections and, 372
 yellow, in diabetes mellitus, 540
 NAME syndrome, skin and heart signs of, 526-527
 Neck, skin cancer of, Mohs micrographic surgery for, 763-779
 anatomy in, 763-767
 behavior of cancer, 768
 cancerous carotid artery in, 775
 cancerous lymph nodes in, 773-774
 carotid artery bypass in, 777
 carotid artery coverage in, 777
 carotid artery hemorrhage in, 776-777
 carotid artery ligation in, 775-776
 incidence of cancer, 767-768
 irradiated neck in, 777-778
 multidisciplinary approach to, 763
 neck dissection in, 774-775
 nerve damage in, 772-773
 parotid gland invasion in, 770, 772
 prior surgery in, 777
 recurrent cancer in, 777
 wound closure in, 768-770
 Necrobiosis lipoidica diabetorum, Henry M. Lewis' therapies for, 66
 skin signs of, 541-542
 ulcerated pretibial, alternative therapies for, 9
 Neoangiogenesis, sclerotherapy and, 145
 Neotestudina rosatti, in mycetoma, 214
 Neuralgia, postherpetic, pimezide for, 6
 Neurofibromatosis, skin and heart signs of, 429, 517
 Neuropathy, cryosurgical, liquid nitrogen and, avoidance of, 7
 in diabetes mellitus, 542-544
 Neurosarcoidosis, clinical features of, 510
 Nevii, alternative therapies for, 74
 epidermal, alternative therapies for, 13
 nevus cell, alternative therapies for, 60
 Nevus sebaceus of Jadassohn, 797
 Niacin, deficiency of, skin signs of, 563-564
 Niacinamide, oral, for generalized granuloma annulare, 8
 Nifurtimox, for Chagas' disease, 310, 393-394
 Nipples, supernumerary, alternative therapies for, 10
 Nocardia species, in mycetoma, 212-215
 skin infections due to, in immunocompromised host, 360-361, 363
 Nocardiosis, skin signs of, 584
 Nodulectomy, for onchocerciasis, 319
 Non-Langerhans cell histiocytoses, skin signs of, 496-501
 benign cephalic histiocytosis, 497-498
 generalized eruptive histiocytoma, 498
 histiocytic medullary reticulosis or malignant histiocytosis, 501
 juvenile xanthogranuloma, 496-497
 multicentric reticulohistiocytosis, 500
 papular xanthoma, 498
 progressive nodular histiocytoma, 499-500
 sinus histiocytosis with massive lymphadenopathy, 500-501
 xanthoma disseminatum, 498-499

- Nose, healing by secondary intention in, 653-654
nonmelanoma skin cancer of. See *Perinasal skin cancer*.
surgical wounds of, ellipse closure of, 31-32
- Nutritional disorders, skin signs of, 559-570
 biotin deficiency, 564
 copper deficiency, 567
 essential fatty acid deficiency, 560
 folic acid deficiency, 564-565
 iron deficiency and excess, 567
 niacin deficiency, 563-564
 pantothenic acid deficiency, 564
 protein deficiency, 559-560
 selenium deficiency, 568
 vitamin A deficiency and excess, 560, 562
 vitamin B₁ deficiency, 562-563
 vitamin B₂ deficiency, 563
 vitamin B₆ deficiency, 563
 vitamin B₁₂ deficiency, 563
 vitamin C deficiency, 413, 488, 565
 vitamin D deficiency, 565
 vitamin E deficiency, 565
 vitamin K deficiency, 566
 zinc deficiency, 566-567
- Oatmeal baths, for dermatologic conditions, 67
- Occlusive dressings, skin infections due to, in immunocompromised host, 359-360
- Occupational stigmata, Henry M. Lewis' therapies for, 66
- Ocular fundus, pigmented lesions of, in familial adenomatous polyposis, 422
- Oily skin, Henry M. Lewis' therapies for, 65
- Ointments, for dermatologic conditions, 47-48
- Omega nail deformities, alternative therapies for, 9-10
- Onchocerciasis, 318-319, 323-329
 clinical features of, 324-326
 distribution of, 323
 immunology of, 327
 parasitology of, 323-324
 pathology of, 326-327
 treatment of, 327-328, 394
 vector and transmission of, 324
- Onychodystrophy, in Cronkhite-Canada syndrome, 426
- Onycholysis, phototoxic, oral tetracycline and, alternative therapies for, 4
- Oral cavity. See also *Mouth*.
 cancer of, Mohs micrographic surgery for, 815-824
 diagnosis of, 818-819
 distant metastases in, 818
 for noncutaneous malignancies, 820-822
 gross pathology in, 815-816
 histopathology in, 816, 818
 multidisciplinary approach to, 819-820
 regional metastases in, 818
- Oral hairy leukoplakia, and human immunodeficiency virus infections, 375-376
- Osler-Weber-Rendu disease, skin signs of, 403-405
- Osteomas, in familial adenomatous polyposis, 421
- Otitis, external, alternative therapies for, 56
 malignant external, in diabetes mellitus, 533-534
- Ovaries, tumors of, in Peutz-Jeghers syndrome, 423
- Oxamniquine, for schistosomiasis, 392-393
- Papillomavirus, and human immunodeficiency virus infections, 376
- Papular exanthema, and human immunodeficiency virus infections, 380
- Papulosis, lymphomatoid, alternative therapies for, 11
 skin signs of, 474
 malignant atrophic, skin signs of, 412-413
- Parasitosis, delusions of, pimozone for, 6
- Paromomycin ointment, for leishmaniasis, 348
- Paromomycin sulfate, for amebiasis, 393
- Paronychia, chronic, alternative therapies for, 17
- Parotid duct, of cheek, 752
- Parotid gland, invasion of, by skin cancer of neck, 770, 772
- Parotidectomy, for cheek cancer, 755
- Pastes, for dermatologic conditions, 48-49
- Pediculosis, alternative therapies for, 59
- Peels, chemical, informed consent for, 183-185
- Penrose drains, in dermatologic surgery, 97-98
- Pentamidine, for leishmaniasis, 348, 395
- Pentamidine isethionate, for systemic mycoses, 395
- Pentavalent antimonials, for leishmaniasis, 347, 348
- Periauricular skin cancer, chemotherapy for, 785
 conventional excision of, 787-788
 cryosurgery for, 785
 electrodesiccation and curettage for, 785
 Mohs micrographic surgery for, 781-795
 anatomy and physiology in, 781
 clinical features of, 783
 differential diagnosis in, 784
 etiology in, 781-782
 invasion pattern in, 782
 multidisciplinary approach to, 788-795
 physical examination for, 783-784
 radiologic evaluation for, 784
 reconstruction after, 795
 staging in, 784
 tumor presentation in, 782-783
 radiotherapy for, 785
- Perinasal skin cancer, nonmelanoma, Mohs micrographic surgery for, 628, 711-731
 anatomy in, 711-713
 clinical features in, 715
 histology in, 714-715
 multidisciplinary approach to, 716, 718
 prior treatment in, 715-716
 reconstruction after, 718-728
 recurrence rate in, 713
 tumor biology in, 713-716
 tumor location in, 713
 tumor size in, 715
- Perioral cancer, Mohs micrographic surgery for, 733-749
 adjunctive therapy and, 741-742
 anatomy in, 735-737
 classification of, 737-739
 local tumor extirpation in, 741
 preoperative evaluation in, 740-741
 prognosis for, 739-740
 reconstruction after, 742, 744-748
 for full-thickness lip defects, 745-748
 for major soft-tissue defects, 748
 healing by secondary intention in, 742
 local skin flaps in, 744-745
 skin grafts in, 742, 744
- Periorbital skin cancer, Mohs micrographic surgery for, 628, 677-697
 anatomy in, 677-678
 canthi, 686-694
 lower eyelid, 682-686
- Palmar erythema, in liver diseases, 439-440
- Panarteritis nodosa, skin and heart signs of, 523
- Pantothenic acid, deficiency of, skin signs of, 564

- upper eyelid, 679-680
- Peutz-Jeghers syndrome, skin signs of, 409, 423, 425
- Phialophora jeanselmei*, in mycetoma, 214
- Phlebitis, sclerotherapy and, 145
- Photodermatitis, alternative therapies for, 54-55
- Photoactivation, of dermatologic conditions, 29-30
- Phototherapy, for dermatologic conditions, 30
- Pigmentation, changes in, in hookworm disease, 278
in onchocerciasis, 324
in thyroid disease, 551
disorders of, alternative therapies for, 60
dermabrasion and chemical peels and, 184-185
- Pilar cysts, and headaches, alternative therapies for, 5
- Pimozide, for dermatologic conditions, 6
- Pinworm. See *Enterobiasis*.
- Pityriasis rosea, alternative therapies for, 55-56
- Pityriasis rotunda, skin signs of, 446-447
- Pityrosporum species, skin infections due to, in immunocompromised host, 358
- Plague, skin signs of, 587
- Plasmacytomas, skin signs of, 473
- Pneumocystis carinii*, and human immunodeficiency virus infections, 372
- Pneumonia, *Pneumocystis carinii*, and human immunodeficiency virus infections, 380
treatment of, 395
systemic candidiasis and, 263
- Podophyllin, for vulvar and anal warts, 58
- POEMS syndrome, skin signs of, 462-463
- Polyarteritis nodosa, skin signs of, 412, 486
- Polyposis syndromes, 407-411, 419-434
acrochordons and colonic polyps, 430-431
Cowden's disease, 409-411, 428, 555
Cronkhite-Canada, 411, 425-428
familial adenomatous, 408-409, 419-422
Muir-Torre, 411, 428-429
neurofibromatosis, 429, 517
Peutz-Jeghers, 409, 423, 425
Ruvalcaba-Myhre-Smith, 411, 429-430
- Polyps, colonic, acrochordons and, 430-431
- Porokeratosis of Mibelli, azelaic acid for, 24-25
- Porokeratosis plantaris, palmaris, et disseminata, alternative therapies for, 12-13
- Porphyria cutanea tarda, and human immunodeficiency virus infections, 380
silymarin for, 27
- Porphyrias, in liver diseases, 442
- Port wine stains, treatment of, infrared coagulator in, 162-163
- Potassium hydroxide examination, in blastomycosis, 245
- Potassium iodide, for sporotrichosis, 199-200, 390
- Potassium permanganate, for dermatologic conditions, 44, 45
- Powders, for dermatologic conditions, 52
- Pox virus, and human immunodeficiency virus infections, 376
- Pragmatar, for dermatologic conditions, 47
- Praziquantel, for schistosomiasis, 296, 392
- Premature aging syndromes, skin and heart signs of, 522
- Prostheses, after Mohs micrographic surgery, 827
for periauricular skin cancer, 795
for perinasal nonmelanoma skin cancer, 719
- Protein, deficiency of, skin signs of, 559-560
- "Proud flesh," in wound healing, 647
- Pruritus, alternative therapies for, 53
generalized, pimoze for, 6
in liver diseases, 439
in thyroid disease, 553
- Pruritus ani, activated charcoal for, 22-23
alternative therapies for, 57
- Pruritus vulvae, alternative therapies for, 57
- Pseudoallescheria boydii*, skin infections due to, in immunocompromised host, 360
- Pseudolymphoma syndrome, drug-induced, skin signs of, 474
- Pseudomonas* species, skin infections due to, in immunocompromised host, 361
- Pseudopelade of Brocq, alternative therapies for, 13
- Pseudoxanthoma elasticum, skin and heart signs of, 406-407, 517-518
- Psoriasis, alternative therapies for, 55, 74
and human immunodeficiency virus infections, 379
Henry M. Lewis' therapies for, 66
- Pubic Demodex, alternative therapies for, 4-5
- Punch grafts, for vitiligo, 13
- Purpura, 481-490
classification of, 481
extravascular, 488-489
Henoch-Schönlein, 412, 484
intravascular, 481, 483
pigmented, in diabetes mellitus, 539
Schamberg's, alternative therapies for, 5
vascular, 483-488
amyloidosis and plasma cell dyscrasias, 487-488
embolic phenomena, 487
inflammatory disorders, 483-486
noninflammatory and mildly inflammatory pigmented, 486-487
- Purpura fulminans, skin signs of, 583-584
- Pyoderma gangrenosum, skin signs of, 461, 475-476
vs. blastomycosis, 244
- Pyodermas, alternative therapies for, 74
- Pyrantel pamoate, for systemic mycoses, 390
- Pyrenocheta romeroi*, in mycetoma, 214
- Pyridoxine, deficiency of, skin signs of, 563
- Q fever, skin signs of, 599
- Radiographs, in blastomycosis, 246
in histoplasmosis, 255
- Radiotherapy, and Mohs micrographic surgery, 636
for periauricular skin cancer, 785
for perioral cancer, 742
and skin cancer of neck, 777-778
- Raynaud's phenomenon, skin signs of, 454
- Reiter's syndrome, skin and heart signs of, 523
- Relaxed skin tension lines, in dermatologic surgery, 169-177
applications of, 174-177
antitension line incisions, 174
fusiform shape excisions, 174-175
marginal scars, 175-176
rhombic flaps, 176-177
scar revisions, 177
tension line incisions, 174
direction of, 172, 174
locating, 169-172
in Mohs micrographic surgery, for facial defects, 663, 666
- Reticulohistiocytosis, skin and heart signs of, multicentric, 500, 527
skin signs of, congenital self-healing, 496
- Reticulosis, histiocytic medullary, skin signs of, 501
- Retin-A, with Sundown, for dermatologic conditions, 38

- Retinoids, systemic, with Mohs micrographic surgery, 637
- Rheumatic fever, skin and heart signs of, 523-524, 581
- Rheumatoid arthritis, skin and heart signs of, 523
- Rhombic flaps, after Mohs micrographic surgery, for facial defects, 666
- in dermatologic surgery, 176-177
- Rhytidectomy, and dimpling, platysmal plicating sutures to eliminate, 117-119
- Riboflavin, deficiency of, skin signs of, 563
- Rickettsial diseases, skin signs of, 591-601
- Eastern hemisphere rickettsioses, 596
- ehrlichiosis, 599
- Q fever, 599
- rickettsialpox, 596-597
- Rocky Mountain spotted fever, 591-593, 595-596
- trench fever, 599
- typhus group, 597-599
- Rifampicin, for leishmaniasis, 348
- Rocky Mountain spotted fever, skin signs of, 591-593, 595-596
- Rosacea, alternative therapies for, 74
- Rotation flaps, after Mohs micrographic surgery, for facial defects, 666, 673
- for perioral cancer, 745
- Roundworm, treatment of, 390
- Rubeosis faciei, in diabetes mellitus, 539
- Ruvalcaba-Myhre-Smith syndrome, skin signs of, 411, 429-430
- S plasty, after Mohs micrographic surgery, for cheek cancer, 757
- Sal-Oil-T formula, for dermatologic conditions, 50
- Salabrasion, for tattoo removal, 148
- Saline, hypertonic, for dermatologic conditions, 19-20
- for sclerotherapy, of lower-extremity telangiectasias, 132
- Salivary glands, tumors of, 738-739
- Sarcoidosis, 505-515
- cardiac features of, 510
- diagnosis of, 512-513
- endocrine features of, 510
- etiology of, 511
- hepatic features of, 510
- histopathology of, 511-512
- immunology of, 512
- incidence and epidemiology of, 511
- intrathoracic features of, 508
- lymphadenopathy and splenomegaly in, 509
- metabolic features of, 511
- musculoskeletal features of, 510
- neurologic features of, 510
- ocular features of, 508-509
- prognosis and complications of, 513
- skin and heart signs of, 505-506, 508, 526
- treatment of, 513
- Sarcoma, granulocytic, skin signs of, 471
- Sarna lotion, for dermatologic conditions, 46
- Scabies, alternative therapies for, 58-59
- and human immunodeficiency virus infections, 376
- Kwell-resistant, alternative therapies for, 4
- Scalp, healing by secondary intention in, 656
- multiple cylindromas of, alternative therapies for, 11
- skin cancer of, Mohs micrographic surgery for, 628, 797-814
- anatomy in, 797, 801
- case reports of, 802-810
- multidisciplinary approach to, 801-802
- surgery on, surgical pearls for, 86, 89
- Scarlet fever, skin signs of, 581
- Scarlet red dressings, and open wound granulation, 32
- Scars, dermabrasion and chemical peels and, 185
- from acne, alternative therapies for, 3-4
- Schamberg's lotion, for dermatologic conditions, 46
- Schamberg's purpura, alternative therapies for, 5
- Schistosomiasis, 291-297
- cutaneous manifestations of, 293-295
- bilharziasis cutanea tarda, 294-295
- dermatitis schistosomica, 293-294
- schistosomides, 294
- diagnosis of, 295-296
- historical aspects of, 291-292
- life cycle of, 292-293
- pathogenesis of, 295
- pathology of, 295
- prevention and control of, 296-297
- treatment of, 296, 392, 393
- Scleredema, skin signs of, 461
- Scleremo, for sclerotherapy, of lower-extremity telangiectasias, 133
- Scleroderma, skin and heart signs of, 523
- Scleromate, for sclerotherapy, of lower-extremity telangiectasias, 133
- Sclerotherapy, for lower-extremity telangiectasias, 129-135
- activity of, 144
- choice of agents for, 132-133, 138
- complications of, 144-145
- compression techniques for, 137-146
- etiology of spider veins, 130
- etiology of varicose veins, 129-130
- historical aspects of, 129
- mechanism of action, 144
- needles and syringes for, 139
- patient positioning for, 138-139
- patient preparation for, 138
- post-injection course of, 145-146
- precautions in, 134
- quantity of solution injected, 142
- side effects of, 142, 144
- technique for, 133-134, 139-142
- for mucoid cysts, of fingers and toes, 179-181
- Scopulariopsis, and human immunodeficiency virus infections, 374
- Scotch tape test, to diagnose enterobiasis, 280
- Scurvy, purpura in, 488
- skin signs of, 413
- Seborrheic dermatitis, and human immunodeficiency virus infections, 379
- Selenium, deficiency of, skin signs of, 568
- Sensitivity, to topical antibiotic ointments, surgical pearls for, 104
- Septicemia, *Pseudomonas*, skin signs of, 586-587
- Serum sickness, skin signs of, 484-485
- Shake lotions, for dermatologic conditions, 37-38, 45-46
- Silver nitrate solution, for dermatologic conditions, 45
- Silymarin, for dermatologic conditions, 25-28
- Skin, oily, Henry M. Lewis' therapies for, 65
- soap scum on, 68
- tumors of, alternative therapies for, 59-60
- dead space closure after excising, 93
- Skin cancer, azelaic acid for, 24-25
- of forehead. See *Forehead*.
- of neck. See *Neck*.
- of scalp. See *Scalp*.
- periauricular. See *Periauricular skin cancer*.
- perinasal nonmelanoma. See *Perinasal skin cancer*.
- periorbital. See *Periorbital skin cancer*.

- Skin flaps, after Mohs micrographic surgery, 827-829, 831
 for cheek cancer, 757-758
 for facial defects, 665-666, 673, 676
 for forehead defects, 706
 for perinasal nonmelanoma skin cancer, 719, 720, 725, 728
 for perioral cancer, 744-745
 oral mucosal, to re-create vermilion border of upper lip, 115-117
 pull-through, for earlobe defects, 111-115
 templates for design of, 119-120
- Skin grafts, after Mohs micrographic surgery, 827
 for facial defects, 661
 for perinasal nonmelanoma skin cancer, 719, 720, 725, 728
 for perioral cancer, 742, 744
 full-thickness, surgical pearls for, 102-104
- Skin markers, in dermatologic surgery, 105-106
- Skin tags, and colonic polyps, 430-431
- Skin tension lines, relaxed. See *Relaxed skin tension lines*.
- Skin testing, in blastomycosis, 246
 in coccidioidomycosis, 232-234
 in histoplasmosis, 255
- Sleeping sickness, 306-307
- SLT lotion, for dermatologic conditions, 50
- Soaks, for dermatologic conditions, 45
- Soap scum, on skin, Henry M. Lewis' therapies for, 68
- Solutions, for dermatologic conditions, 49-51
- Sotradecol, for sclerotherapy, of lower-extremity telangiectasias, 133
- Spherulin, for skin testing, in coccidioidomycosis, 233-234
- Spider nevi, in liver diseases, 439
- Spider veins, etiology of, 130
- Splenomegaly, in sarcoidosis, 509
- Sporotrichosis, 193-202
 and human immunodeficiency virus infections, 374
 clinical features of, 194-196
 diagnosis of, 197-198
 differential diagnosis of, 196-197
 etiology and pathogenesis of, 193-194
 histopathology of, 198-199
 historical aspects of, 193
 incidence and epidemiology of, 194
 laboratory findings in, 197-198
 mycology of, 198
 prognosis for, 199-201
 treatment of, 199-201, 390
- Squamous cell carcinoma, alternative therapies for, 59-60
 of scalp. See *Scalp*.
 periauricular, 783
 perioral, 737
- Staphylococcal scalded skin syndrome, skin signs of, 579-580
- Staphylococcal toxin syndrome, skin signs of, 579
- Staphylococcus aureus*, in human immunodeficiency virus infections, 371
- Steatocystoma multiplex, alternative therapies for, 11
- Steroids, and azelaic acid, for dermatologic conditions, 25
 emulsified, for dermatologic conditions, 22
- Stibogluconate sodium, for leishmaniasis, 394-395
- Stibophen, for schistosomiasis, 296
- Strawberry hemangiomas, treatment of, infrared coagulator in, 166
- Streptomyces species, in mycetoma, 212-214
- Stretch marks, alternative therapies for, 3
- Striae distensae, alternative therapies for, 3
- Strongyloidiasis, 281-284
 clinical features of, 282-283
 diagnosis of, 283-284
 epidemiology of, 281
 life cycle of, 281-282
 treatment of, 284, 390
- Subcorneal pustular dermatosis, skin signs of, 461-462
- Sudden death, sarcoidosis and, 510
- Sugar, solutions of, for sclerotherapy, of lower-extremity telangiectasias, 132
- Sulfonamides, for histoplasmosis, 256
 for mycetoma, 215-216
- Suramin, for African trypanosomiasis, 307, 394
 for onchocerciasis, 319, 328-329
- Surgical pearls, for wound closure. See *Dog-ear wounds*; *Sutures*.
- in dermatology, 75-110
 biopsy hints. See *Biopsies*.
 countertraction, 86, 96
 eliminating small lesions, 91-93
 closure of dead space after skin tumor excision, 93
 epidermal cysts, 91
 inflamed cysts, 91-93
 small lipomas, 93
 hints for excisional surgery, 93, 96-104
 bolster technique modification, 106, 109
 dermabrasion of recent scars, 100
 dog-ear repair modification, 109
 full-thickness skin grafts, 102-104
 scleral eyeshields for safe eyelid surgery, 100, 102
 sterile sleeves for electrocautery, 93, 96
 use of collagen sponges for granulating wounds, 98, 100
 use of drains, 96-98
 sutures. See *Sutures*.
 training surgical assistants, 75-77
 working around ear, 85-86
 working on scalp, 86, 89
- Suspensions, for dermatologic conditions, 49-51
- Sutures, periosteal plicating, 120-121
 platysmal plicating, to eliminate dimpling from rhytidectomy, 117-119
 surgical pearls for, 77-85
 periosteal sutures, 124-128
 indications for, 125-126
 technique for, 126
 special types of sutures, 81, 84
 subcuticular stitch placement, 77, 79-80
 surface sutures, 80-81
 suture removal, 84-85
 templates for design of, 119-120
- Sweet's syndrome, skin signs of, 475
- Syphilis, and human immunodeficiency virus infections, 371
- Systemic candidiasis, 259-268
 clinical features of, 261-263
 diagnosis of, 263-265
 etiology of, 259-260
 factors predisposing to, 260-261
 histology of, 264-265
 mycology of, 263-264
 serodiagnosis of, 264
 treatment of, 265-266
- Systemic lupus erythematosus, skin and heart signs of, 522-523
- Systemic mycoses. See also specific diseases, e.g., *Blastomycosis*.
 amphotericin B for, 387-388
 flucytosine for, 388
 imidazoles for, 388-389
 triazoles for, 389-390

- Tar baths, for dermatologic conditions, 45
- Tattoos, removal of, 147-153
excision in, 148-153
infrared coagulator in, 160-162
salabrasion in, 148
- Tea bags, for dermatologic conditions, 52
- Tea soaks, for dermatologic conditions, 45
- Telangiectasias, and human immunodeficiency virus infections, 377
hereditary hemorrhagic, 403-405
lower-extremity, electrosurgery for, 130
laser therapy for, 130, 132
sclerotherapy for. See *Sclerotherapy*.
periungual, in diabetes mellitus, 539-540
- Temple, skin cancer of. See *Forehead*.
- Terry's nails, in liver diseases, 440
- Tetracycline, for Rocky Mountain spotted fever, 596
oral, and phototoxic onycholysis, alternative therapies for, 4
- Thiabendazole, for chromoblastomycosis, 225
for cutaneous larva migrans, 286, 390
for trichinosis, 287-288
for visceral larva migrans, 390, 392
- Thiamine, deficiency of, skin signs of, 562-563
- Thrombi, formation of, sclerotherapy and, 145
- Thrombocytopenic purpura, and human immunodeficiency virus infections, 377
- Thymol, in chloroform, for dermatologic conditions, 41
- Thyroid diseases, skin signs of, 547-558
alopecia areata, 554
atopic dermatitis, 553-554
bullous diseases, 554
connective tissue diseases, 406-407, 485, 523, 555
Cowden's disease, 409-411, 428, 555
epidermal changes, 550
generalized myxedema, 550
hair changes, 552
hyperthyroidism, 521, 547
hypohidrotic ectodermal dysplasia, 555
hypothyroidism, 521, 548
lipid abnormalities, 553
metastases from thyroid carcinoma, 553
multiple endocrine neoplasia type III syndrome, 555
nail changes, 552
neoplasms, 548
ocular changes, 552
pigmentary changes, 551
pretibial myxedema, 548-550
pruritus, 553
secretory gland changes, 551
thyroid acropachy, 552-553
urticaria, 553
vascular changes, 551
vitiligo, 554
- Ticks, removal of, Henry M. Lewis' therapies for, 68
- Tinctures, for dermatologic conditions, 49-51
- Tinea capitis, skin infections due to, in immunocompromised host, 358
- Tinea cruris, and human immunodeficiency virus infections, 373
treatment of, irritation from, alternative therapies for, 14
- Tinea versicolor, and human immunodeficiency virus infections, 372-373
- Tissue expansion, after Mohs micrographic surgery, 831
for forehead defects, 707, 709
for nasal defects, 728
- Tocopherol, deficiency of, skin signs of, 565
- Toes, mucoid cysts of, sclerosant injections for, 179-181
- Tongue, hairy, alternative therapies for, 14
- Toxic shock syndrome, skin signs of, 580-581
- Transposition flaps, after Mohs micrographic surgery, for facial defects, 666
for perioral cancer, 745
- Trench fever, skin signs of, 599
- Triazoles, for systemic mycoses, 389-390
- Trichinosis, 286-288
clinical features of, 286-287
diagnosis of, 287
epidemiology of, 286
life cycle of, 286
treatment of, 287-288
- Trichophyton species, and human immunodeficiency virus infections, 373
skin infections due to, in immunocompromised host, 358
- Trilobed flaps, after Mohs micrographic surgery, for facial defects, 673
- Trunk, and extremities, healing by secondary intention in, 656-657
- Trypanosomiasis, African, treatment of, 306-307, 394, 395
American. See *Chagas' disease*.
- Tsutsugamushi disease, skin signs of, 598-599
- Tuberous sclerosis, skin and heart signs of, 519
- Tumors. See also *Cancer*; *Carcinoma*.
in familial adenomatous polyposis, 420-421, 422
ovarian, in Peutz-Jeghers syndrome, 423
skin, alternative therapies for, 59-60
dead space closure after excising, 93
- Typhus group diseases, skin signs of, 597-599
- Ulcers, cutaneous, benzoyl peroxide for, 6-7
Henry M. Lewis' therapies for, 64
leg, arterial insufficiency and, Henry M. Lewis' therapies for, 68
oral, Capnocytophaga organisms and, alternative therapies for, 14
- Urticaria, and angioneurotic edema, alternative therapies for, 56
aquagenic, alternative therapies for, 11
chronic, alternative therapies for, 13
cold, 454
in thyroid disease, 553
newsprint and, alternative therapies for, 5
- USP Green Soap, for dermatologic conditions, 38
- Uveoparotid fever, in sarcoidosis, 510
- Varicella, photoinactivation of, 29-30
- Varicose veins, etiology of, 129-130
- Varnishes, for dermatologic conditions, 51
- Vascular lesions, treatment of, infrared coagulator in, 162-166
- Vasculitis, and human immunodeficiency virus infections, 377
skin signs of, 411-413, 484-486
- Venous lakes, treatment of, infrared coagulator in, 163, 166
- Ver var, do it yourself formula for, 10
- Vibrio vulnificus, infections due to, skin signs of, 588
- Vioform cream, for dermatologic conditions, 47
- Vioform ointment, for dermatologic conditions, 48
- Vitamin A, for parakeratosis plantaris, palmaris, et disseminata, 13
for skin diseases, 446

- Vitamins, deficiencies of. See *Nutritional disorders*.
- Vitiligo, alternative therapies for, 60
in black patients, Henry M. Lewis' therapies for, 66
in thyroid disease, 554
punch grafts for, 13
- von Recklinghausen's disease, skin and heart signs of, 429, 517
- Vulva, dystrophies of, deladumone for, 22
- Waldenström's macroglobulinemia, skin signs of, 449-450
- Warts, alternative therapies for, 57-58
cantharidin for, 17
dinitrochlorobenzene for, 14-17, 68
liquid nitrogen for, 17
of urethral meatus, Henry M. Lewis' therapies for, 68
photoinactivation of, 30
stubborn vaginal and anal, alternative therapies for, 11
watermelon seeds for, 32
- Watermelon seeds, for warts, 32
- Weber-Cockayne disease, alternative therapies for, 9
- Wegener's granulomatosis, skin signs of, 486
- Weil-Felix reaction, to Rocky Mountain spotted fever, 595
- Werner's syndrome, skin and heart signs of, 522
- Whipworm, treatment of, 390
- Whitfield's ointment, for dermatologic conditions, 48
- Wounds, closure of, surgical pearls for, 123-128
dog-ear wounds. See *Dog-ear wounds*.
periosteal sutures. See *Sutures*.
- surgical repairs of, 111-121
elimination of dimpling due to rhytidectomy, 117-119
oral mucosal flaps to re-create vermilion border of upper lip, 115-117
periosteal plicating sutures, 120-121
pull through flap for earlobe defects, 111-115
templates for design of flaps, 119-120
- Xanthogranuloma, juvenile, skin signs of, 496-497
- Xanthoma disseminatum, skin signs of, 498-499
- Xanthomas, in liver diseases, 441
skin and heart signs of, 457, 521-522
papular, 498
- Yogurt, for dermatologic conditions, 52
- Z plasty, after Mohs micrographic surgery, for cheek cancer, 758, 760-761
for facial defects, 673, 676
- Zeasorb powder, for dermatologic conditions, 52
- Zinc, deficiency of, skin signs of, 566-567
- Zinc oxide paste, for dermatologic conditions, 49
- Zipper ellipse closure, of surgical wounds, 30-31